# M. A. R. 57 (Rule 116)
## Measurement Book

**No. B**

166377

rial No. .....

me of Work ..... From..... To.....

me of Contractor of nature of Agency .....

e of commencement of work .....

| te | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement | |
|---|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | | |
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | Description of work unit | Previous Measurement | | Present Measurement | | | Up to date Measurement | |
| | | Qty | Amount | Qty | Rate | Amount | Qty | Amount |
| 1) | Providing & laying Cement concrete machine/mechanical mixed cum | — | — | 0.78 | 2192.82 | 1702=18 | 0.78 | 2192=82 |
| 2) | Providing & laying Cement concrete for all superstructure M-25 design only cum | — | — | 3.11 | 13310.81 | 41330=07 | 3.11 | 41330=07 |
| 3) | Providing & laying in position Cement concrete for all Super Structure M-25 design only cum | — | — | 10.18 | 12527.82 | 127470=57 | 10.18 | 127470=59 |
| | Qty Above 125% | — | — | 2.61 | 12527.82 | 32733=38 | 2.61 | 32733=38 |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| 33) | applying 2 coat of water thinnable cement paint to all approved item Sqm | 132.58 | 60.64 | 8057=60 | 132.88 | 8057=60 | |
| 34) | Finishing walls with textured external paint Sqm | 132.86 | 323.81 | 43026=58 | 132.88 | 43026=58 | |
| 35) | Finishing the external walls with deluxe smooth sandtex paint- Sqm | 84.37 | 180.78 | 15251=96 | 84.37 | 15251=96 | |
| 36) | Providing & laying 150mm thick cc 1:2:4 Sqm | 0.56 | 7627.36 | 4303=74 | 0.56 | 4303=74 | |
| 37) | Providing & laying floors & steps tiles machine polished granite stone Sqm | 50.19 | 6096.39 | 305993=06 | 50.19 | 305993=06 | |
| 38) | Providing & fixing MS grills Kgs | 270.54 | 209.39 | 56648.37 | 270.54 | 56648.37 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

466382

No. .....
of Work ..... From ..... To .....
of Contractor or nature of Agency .....
f commencement of work .....

| Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|
| | Number | Length | Breadth | Depth | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Providing & fixing of 3-tone x 2 panel sliding windows Sqm | 2.33 | 7705.17 | 17953=05 | 2.33 | 17953=05 | |
| Providing Hooping wood-frame of door, window cum | 0.09 | 157986=88 | 13923=95 | 0.09 | 13823=55 | |
| 24th Above last/b cm | 0.02 | 157986.89 | 2769=77 | 0.02 | 2764=77 | |
| Providing & fixing to posts fully panelled flooring wood shutter Sqm | 3.15 | 8517.56 | 26830=31 | 3.15 | 26830=31 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| 33) | applying One coat of Water thinnable Cement paint to new & approved base Sqm | 139.58 | 60.64 | 8057=60 | 132.88 | 8057=60 | |
| 34) | Finishing walls with textured external paint Sqm | 132.88 | 323.81 | 43026=58 | 132.58 | 43026=58 | |
| 35) | Finishing the external walls with decline smooth Sandtex paint Sqm | 84.37 | 180.78 | 15251=96 | 84.37 | 15251=96 | |
| 36) | Providing & laying Cement concrete pavement with CC1:2:4 Sqm | 0.56 | 7627.36 | 4303=74 | 0.56 | 4303=74 | |
| 37) | Providing & laying floors & steps fine machine polished granite stone Sqm | 50.19 | 6096.39 | 305993=06 | 50.19 | 305993=06 | |
| 38) | Providing & placing MS grills Kgs | 270.54 | 209.39 | 56648.37 | 270.54 | 56648.37 | |

M. A. R. 57 (Rule 116)
Measurement Book

NO. D 466382

No. ..... From ..... To .....

of Work .....

of Contractor of nature of Agency .....

f commencement of work .....

| Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|
| 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| Providing & fixing of 3-tone x2 panel sliding doors Sqm | 2.33 | 7705.17 | 17953=85 | 2.33 | 17953=85 | |
| Providing Hosmere wood frame of door, as in day cum | 0.09 | 157986=89 | 13923=55 | 0.09 | 13823=55 | |
| Qty Above last Pg cum | 0.02 | 157986.89 | 2764=77 | 0.02 | 2764=77 | |
| Providing & fixing to posts fully panelled Hosmere wood shutter Sqm | 3.15 | 8517.56 | 26830=31 | 3.15 | 26830=31 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| 79) | Extra for Supplying 4mm thick white plaster plate cord NOs | 15 | 21.63 | 324=45 | 15 | 324=45 | |
| 80) | Supplying a 50mm wooden plug fixed from 50x50 mm to 25x25 mm NOs | 20 | 12.36 | 247=20 | 20 | 247=20 | |
| 81) | Supplying cost of 1x4' pvc batten with integrated LED tube light NOs | 30 | 710.63 | 21318=90 | 30 Hrs-6 | 21318=90 | |
| 82) | Supply of recessed square recess surface mounted with type LED down light with NOs | 20 | 911.46 | 18229=20 | 20 | 18229=20 | |
| 83) | Supplying of ceiling fan with capacitor Each | 10 | 2757.64 | 27570=40 | 10 | 27570=40 | |

M. A. R. 57 (Rule ...)
Measurement Book

Bill No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|
| 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| EIRL-1 Providing & fixing contracted GS sheet roofing Sqm | 7.04 | 966.90 | 6806=90 | 7.04 | 6806=90 | |
| EIRL-2 Providing & laying Vitrified Tile Sqm to be specified | 4.44 | 1139.67 | 5059=82 | 4.44 | 5059=82 | |
| EIRL-3 Providing & fixing 1st quality ceramic glazed tile Sqm | 20.58 | 1071.40 | 22049=44 | 20.58 | 22049=44 | |
| EIRL-4 Providing & fixing white vitrified china clay water closed European type Each | 2 | 5505=50 | 11011=00 | 2 | 11011=00 | |

# MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B

466387

l No. ..... From..... To.....

e of Work .....

e of Contractor of nature of Agency .....

of commencement of work .....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 79) | Extra for Supplying 4mm thick white plaster plate cord NOS | 15 | 21.63 | 324=45 | 15 | 324=45 | |
| 80) | Supplying a 50mm wooden plug fixed from 50x50 mm to 25x25 mm NOS | 20 | 12.36 | 247=20 | 20 | 247=20 | |
| 81) | Supplying of 1x4 PVC batten with integrated LED tube light NOS | 30 | 710.63 | 21318=90 | 30 | 21318=90 | |
| 82) | Supply of recessed square recess surface mounted with type LED down light NOS | 20 | 911.46 | 18229=20 | 20 | 18229=20 | |
| 83) | Supplying of Ceiling fan with capacitor Each | 10 | 2757.64 | 27570=40 | 10 | 27570=40 | |

| Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|
| | Number | Length | Breadth | Depth | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 84) EIRL-1 Providing & fixing corrugated GS sheet roofing Sqm | 7.04 | 966.90 | 6806=90 | 7.04 | 6806=90 | |
| EIRL-2 Providing & laying Vitrified Tiles 8x4 to be specified Sqm | 4.44 | 1139.67 | 5059=82 | 4.44 | 5059=82 | |
| EIRL-3 Providing & fixing 1st quality ceramic glazed tiles Sqm | 20.58 | 1071.40 | 22049=41 | 20.58 | 22049=41 | |
| EIRL-4 Providing & fixing white vitrified China clay water closed Eleration type Each | 2 | 5505.50 | 11011=00 | 2 | 11011=00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 46) | Supplying & laying adopty loop system in existy PVC conduit post | 5 | 285.0 | 1425=00 | 5 | 1425=00 |
| 47) | Supplying & laying adopty loop system to existy PVC conduit post | 5 | 394.0 | 1970=00 | 5 | 1970=00 |
| 48) | Supplying & laying adopty loop system to existy PVC conduit post | 5 | 269.0 | 1345=00 | 5 | 1345=00 |
| 49) | Supplying & laying adopty loop system from PVC existy post | 5 | 379.0 | 1895=00 | 5 | 1895=00 |
| | Sub Total A | | 42,25,412=79 | | | 42,25,412=79 |
| | GST @ 18% A | | 7,60,574=30 | | | 7,60,574=30 |
| | Grand Total A | | 49,85,987=09 | | | 49,85,987=09 |

Asst. Executive Engineer
Kelahanka Sub. Divison
UBBMP Ynk. Zone
Kelahanka. Bangalore

M. A. R. 57
Measurem

No. ..... From.....
of Work .....
of Contractor of nature of Agency .....
f commencement of work .....

| Full description, etc, of work | Number | Leng |
|---|---|---|
| 2 | 3 | 4 |
| Certificate<br>1. Certify that the contracts loop<br>2. Certify that there is no depar<br>3. Certify that the contract clear | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 46) | Supplying & laying adopty loop system in existing PVC conduit post | 5 | 285.0 | 1425=0 | 5 | 1425=0 |
| 47) | Supplying & laying adopty loop system to existing PVC conduit post | 5 | 394.0 | 1970=0 | 5 | 1970=0 |
| 48) | Supplying & laying adopty loop system to existing PVC conduit post | 5 | 269.0 | 1345=0 | 5 | 1345=0 |
| 49) | Supplying & laying adopty loop system over PVC existing post | 5 | 379.0 | 1895=0 | 5 | 1895=0 |
| | | | Sub Total Rs | 42,25,412=79 | | 42,25,412=79 |
| | | | GST @18% Rs | 7,60,574=30 | | 7,60,574=30 |
| | | | Asst. Executive Engineer Rs | 49,85,987=09 | | 49,85,987=09 |

Asst. Executive Engineer
Kelahanka Sub. Division
UBBMP Ynk. Zone
Kelahanka, Bangalore

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |




Executive Engineer
Division
Yelahanka
(BBMP Unit No. 23)
Yelahanka, Bangalore

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |




Executive Engineer
Division
Yelah
(BBMP Yelahanka Zn)
Yelahanka, Bangalore